

ENDEAVOR

Comfort Starts at Home

Save valuable space and relax in dependable comfort with the Friedrich® Endeavor® Line of Residential Packaged Gas Electric Units, Heat Pumps and Air Conditioners.





Friedrich.com/Residential

Outdoor Equipment for Indoor Comfort



PEACE-OF-MIND PERFORMANCE

Relax, you're covered by some of the best warranties in the industry!— up to 10 Year Conditional Parts in single-phase, residential applications².



REDUCED EMISSIONS

Households generate 72% of greenhouse gas emissions, so switching to a heat pump, can make a big difference for the environment—today. Plus, the packaged heat pumps, air conditioners and gas electric units all feature a MicroChannel refrigerant system with all-aluminum evaporator and condenser coils that fight corrosion and provide superior heat transfer capabilities for a more dependable performance—while using up to 58% less refrigerant than similar models.



HIGH COMFORT

Two-stage⁴ (67% and 100%) or single-stage⁵ technology work to continuously meet your ever-changing heating and cooling needs. You'll enjoy steady temperature and advanced humidity control that combine to exceed your optimal comfort expectations.



Helping You Live Both **Comfortably** and **Sustainably**

The Friedrich Endeavor Line RHPXZS
Residential Packaged Heat Pump has earned
our Sustainability Standout® seal, indicating it's
among the best of the best. We created the seal
to help you more easily find the products that
save energy, save money and save the planet.



TESTED. TRUSTED. TOUGH.

From the smallest part to complete comfort systems, we craft quality into everything we make so we can be sure it's tough enough to deliver the ultimate performance you can count on day after day, year after year. That reliability is what makes Friedrich different—and better.



Among Packaged Gas Electric Units, Heat Pumps and Air Conditioners.

These Are Stars

Earning ENERGY STAR® recognition means products meet strict energy efficiency guidelines set by the U.S. Environmental Protection Agency and several of the Friedrich Endeavor Packaged Gas Electric Units, Heat Pumps and Air Conditioners are ENERGY STAR® certified, offering annual energy cost savings6.



We Thought of Everything...

& Then Some

We evaluate every detail of a product from top to bottom, inside and out and every angle in between. That's 360+1. And that's why you can count on these residential packaged gas electric units, heat pumps and air conditioners to bring you and your family years of efficient and dependable

Friedrich® Endeavor® Line Residential Packaged Air Conditioners



Keep cool, even when the utility bill arrives, with the Friedrich Endeavor Line of Residential Packaged Air Conditioners. Each model is designed to provide dependable comfort and savings.

F-Series Plus	F-Series"	
RAC(A/X)ZS	RACAZR	RACBZR
15.2 SEER2 / 11.5 EER2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 (1-phase only)
Refrigerant Type R-410A		R-410A
Nominal Sizes 2–5 tons (7.0–17.6 kW)		2-5 tons (7.0-17.6 kW)
24.2 to 59 kBTU	23.6 to 58.5 kBTU	24 to 60 kBTU
iR	iR	iR
Yes	No	No
71 dB	75 dB	75 dB
Yes	No	No
Two-stage Scroll	Single-stage Scroll (4- and 5-ton models feature two-stage)	Single-stage Scroll
MicroChannel	MicroChannel	MicroChannel
MicroChannel	MicroChannel	MicroChannel
Convertible	Convertible	Dedicated Horizontal
Constant Torque	Constant Torque	Constant Torque
PSC	PSC	PSC
Field-installed option	Field-installed option	Field-installed option
Yes (all tonnages)	Yes (all tonnages)	Yes (all tonnages)
Yes (not available on 2-ton models)	Yes (not available on 2-ton models)	No
Two-stage 24V	Two-stage 24V (4- and 5-ton) Single-stage 24V (2- to 3.5-ton models)	Single-stage 24V
Conditional Parts – 10 years (1-phase, residential applications) (registration required) Compressor – 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) Parts – 1 year	Conditional Parts – 10 years (1-phase, residential applications) (registration required) Compressor – 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) Parts – 1 year	Conditional Parts – 10 years (1-phase, residential applications) (registration required) Compressor – 10 years (1-phase, residential applications)
	RAC(A/X)ZS 15.2 SEER2 / 11.5 EER2 (1-phase & 3-phase) R-410A 2-5 tons (7.0–17.6 kW) 24.2 to 59 kBTU iR Yes 71 dB Yes Two-stage Scroll MicroChannel MicroChannel Convertible Constant Torque PSC Field-installed option Yes (all tonnages) Yes (not available on 2-ton models) Two-stage 24V Conditional Parts - 10 years (1-phase, residential applications) (registration required) Compressor - 10 years (1-phase, residential applications), 5 years (1-and 3-phase, commercial applications)	RAC(A/X)ZS 15.2 SEER2 / 11.5 EER2 (1-phase & 3-phase) R-410A R-410A R-410A R-410A 2-5 tons (7.0–17.6 kW) 24.2 to 59 kBTU iR Yes No 71 dB 75 dB Yes No Two-stage Scroll MicroChannel MicroChannel MicroChannel MicroChannel MicroChannel Convertible Constant Torque PSC Field-installed option Yes (all tonnages) Yes (not available on 2-ton models) Two-stage 24V Conditional Parts - 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) Parts - 1 years Parts - 1 years 1 13.4 SEER2 / 10.6 EER2 (1-phase & 3-phase) R-410A R-41

Friedrich® Endeavor® Line **Residential Packaged**

Heat Pumps



Bring home year-round sustainable comfort with the Friedrich Endeavor Line of Residential Packaged Heat Pumps. Each model is designed to provide efficient and consistent heating and cooling technology, all while contributing to reduced household emissions.

ne .d	F-Series Plus™	F-Series™		
d	RHPXZS	RHP(A/X)ZR	RHPBZR	
Cooling Efficiencies ⁷	15.2 SEER2 / 11.5 EER2 / 7.2 HSPF2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 / 6.7 HSPF2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 / 6.7 HSPF2 (1-phase only)	
Refrigerant Type	R-410A			
Nominal Sizes 2–5 tons (7.0–17.6 kW)		2-5 tons (7.0-17.6 kW)	2-5 tons (7.0-17.6 kW)	
Gross Cooling Capacity	24 to 60 kBTU	23.8 to 59.5 kBTU	24 to 58.5 kBTU	
Cabinet Type Designator	iR	iR	iR	
IRA of 2023 - Eligible for Federal Tax Credit, 2023 & 2024 Tax Years ⁸	Yes, South Only	No No		
IRA of 2023 - Eligible for Electric Home Rebate Yes Program, 2024 Tax Year ^a		No	No	
Sustainability Standout®	Yes	No	No	
Sound Rating (as low as)9	und Rating (as low as) ⁹ 77 dB		77 dB	
ENERGY STAR® Certified6	RGY STAR® Certified® Yes		No	
compressor Type Two-stage Scroll		Single-stage Scroll (two-stage on 5-ton model)	Single-stage Scroll (5-ton model features two-stage)	
Evaporator Coil Type	MicroChannel	MicroChannel	Tube-fin	
Condenser Coil Type MicroChannel		MicroChannel (3.5- to 5-ton) Tube-fin (2- to 3-ton)	Tube-fin	
Airflow Type	irflow Type Convertible		Dedicated Horizontal	
Blower Motor Type	Constant Torque	Constant Torque	Constant Torque	
Fan Motor Type	PSC (2- to 4-ton) ECM (5-ton)	PSC PSC		
Heater Kit	Factory- or Field-installed Option	Factory- or Field-installed Option	Factory- or Field-installed Option	
Phase Option Yes (all tonnages)		Yes (all tonnages)	Yes (all tonnages)	
3-Phase Option	Phase Option Yes (not available on 2-ton models)		No	
Compatible Thermostat	Two-stage 24V	Two-stage 24V (5-ton) Single-stage 24V (2- to 4-ton)	Two-stage 24V (5-ton) Single-stage 24V (2- to 4-ton)	
Limited Warranty ¹	Conditional Parts – 10 years (1-phase, residential applications) (registration required) Compressor – 10 years (1-phase, residential applications), 5 years (1-and 3-phase, commercial applications) Parts – 1 year (commercial applications) Parts – 1 year (commercial applications) Conditional Parts – 10 years (1-phase, residential applications) 5 years (1-and 3-phase, commercial applications) Parts – 1 year (commercial applications)		Conditional Parts – 10 years (1-phase, residential applications) (registration required) Compressor – 10 years (1-phase, residential applications)	

Friedrich® Endeavor® Line
Residential Packaged
Gas Electric



Year-round comfort has never been more convenient—or efficient—with the Friedrich Endeavor Line of Residential Packaged Gas Electric Systems. Every model is designed with durability to perform season after season while delivering dependable savings.

Cooling Efficiencies ⁷	15.2 SEER2 / 11.5 EER2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 (1-phase & 3-phase)
Heating Efficiency	81% AFUE ¹⁰	81% AFUE ¹⁰
Refrigerant Type	R-410A	R-410A
Nominal Sizes	2-5 tons (7.0-17.6 kW)	2-5 tons (7.0-17.6 kW)
Gross Cooling Capacity	24.2 to 59 kBTU	23.6 to 58.5 kBTU
Cabinet Type Designator	iR	iR
Bluetooth Connectivity ¹¹	Yes	No
IRA of 2023 - Eligible for Federal Tax Credit, 2023 & 2024 Tax Years ⁸	Yes	No
Sound Rating (as low as)9	71 dB	75 dB
EcoNet® Enabled	Yes	No
ENERGY STAR® Certified6	Yes	No
Compressor Type	Two-stage Scroll	Single-stage Scroll (4- and 5-ton models feature two-stage)
Evaporator Coil Type	MicroChannel	MicroChannel
Condenser Coil Type	MicroChannel	MicroChannel
Airflow Type	Convertible	Convertible
Blower Motor Type	Constant CFM	Constant Torque
Fan Motor Type	PSC	PSC
Ultra Low NOx Option	No	Yes (all tonnages)
Low NOx Option	Yes (all tonnages)	Yes (all tonnages)
1-Phase Option	Yes (all tonnages)	Yes (all tonnages)
3-Phase Option	Yes (not available on 2-ton models)	Yes (not available on 2-ton models)
Stainless Steel Heat Exchanger	Yes (factory-installed option)	Yes (factory-installed option)
Compatible Thermostat	EcoNet Smart Thermostat, Two-stage 24V	Two-stage 24V (4- and 5-ton) Single-stage 24V (2- to 3.5-ton)
Heating Input	2-ton Model 60 kBTU 3-ton Model 60, 80 and 100 kBTU 4- and 5-ton Models, (1st Stage / 2nd Stage): 56 / 80 to 70 / 100 kBTU	2- and 2.5-ton Models 40, 60 and 80 kBTU 3-ton Model 60, 80 and 100 kBTU 3.5- to 5-ton Models 80 and 100 kBTU
Heating Output	2-ton Model 48.6 kBTU 3-ton Model 48.6 to 81 kBTU 4- and 5-ton Models, (1st Stage / 2nd Stage): 45.3 / 64.8 to 56.7 / 81 kBTU	2- and 2.5-ton Models 32 to 65 kBTU 3-ton Model 48 to 81 kBTU 3.5- to 5-ton Models 65 to 81 kBTU
PlusOne* Features & More (PlusOnes indicated in bold)	Friedrich Contractor and EcoNet Apps ¹² , built-in EcoNet and Bluetooth technology allow for easy install and diagnostics — Proven Direct Spark Ignition (DSI) for reliability and longevity	Proven Direct Spark Ignition (DSI) for reliability and longevity
Limited Warranty ¹	Heat Exchanger – 10 years (factory standard), 20 years (stainless steel 1-phase models, commercial application), limited lifetime (1-phase, residential applications) (registration required) Conditional Parts – 10 years (1-phase, residential applications) (registration required) Compressor – 10 years (1-phase, residential applications) 5 years (1- and 3-phase, commercial applications) Parts – 1 year (commercial applications)	Heat Exchanger – 10 years (factory standard), 20 years (stainless steel 1-phase models, commercial application), limited lifetime (1-phase, residential applications) (registration required) Conditional Parts – 10 years (1-phase, residential applications) (registration required) Compressor – 10 years (1-phase, residential applications) 5 years (1- and 3-phase, commercial applications) Parts – 1 year (commercial applications)

F-Series Plus™

RGE(A/X)ZS

15.2 SEER2 / 11.5 EER2

F-Series[™]

RGEAZR

13.4 SEER2 / 10.6 EER2

Super Advanced. Super Easy.

The Friedrich F-Series Plus™ RGE(A/X)ZS Packaged Gas Electric Unit is EcoNet- and Bluetooth-enabled for simplified operation, installation and service.



It operates with the easy-to-use EcoNet Smart Thermostat, which optimizes system performance and provides a new level of protection and precision comfort with features like:

- Communication with latest sensor technology
- Control of your thermostat from anywhere via the EcoNet App¹²
- Alerts sent directly to your phone or email



Built-in Bluetooth® connectivity¹¹ makes it faster and easier for your contractor to install and service your new system. This can help lower your costs and help make your home comfortable again—fast.



Federal Incentives Available

(conditions apply)

As part of the Inflation Reduction Act of 2022, homeowners can now take advantage of enhanced tax incentives and a new state-administered consumer rebate program. Certain Friedrich Residential Packaged models may be eligible for the Energy Efficient Home Improvement Tax Credit (25C)⁸ and Friedrich Residential Packaged Heat Pumps may be eligible for the High Efficiency Electric Home Rebate Program.⁸

Visit Friedrich.com/Federal-Incentives to view qualifying equipment and for complete details and conditions.



Friedrich.com

Delivering Boldly Crafted Comfort

Founded in 1883, Friedrich Air Conditioning Co. is an expert in providing residential and commercial comfort solutions—from premium room air conditioners to whole-home / whole-building equipment and more. Designed to be among the most advanced and quietest available, all Friedrich products are engineered to deliver precise temperature control to make spaces comfortable—quickly and efficiently.



Friedrich USA

5600 Old Greenwood Road Fort Smith, Arkansas 72908



Friedrich Canada Ltd. / Ltée 125 Edgeware Road, Unit 1 Brampton, Ontario L6Y 0P5

Rheem Sales Company, Inc. manufactures the Friedrich brand of residential heating & cooling products. In keeping with its policy of continuous progress and product improvement, Rheem reserves the right to make changes without notice.

Registration is required for the conditional parts warranty (if applicable). For complete details of the limited and conditional warranties, including applicable terms and conditions, contact your local Contractor or go to Friedrich.com for a copy of the product warranty certificate. 'Refer to the chart for specific warranty terms by product.' Residential Building Electrification in CA: Consumer economics, greenhouse gases and grid impacts, April 2019. 'Applies to the RHPXZS, RAC(A/X)ZS and RGE(A/X)ZS models. 'Proper sizing and installation of equipment is critical to achieve optimal performance. Ask your contractor for details or visit EnergyStar.gov. 'SSER2 (Seasonal Energy Efficiency Rating) | EER2 (Energy Efficiency Rating) | HSPF2 (Heating Seasonal Performance Factor). The higher the SEER2 / ESR2 / HSPF2 rating, the more efficient the unit. 'Benery Efficient Home Improvement Tax Credits (25C) and High Efficiency Electric Home Rebates are dependent on state participation and available funding; Visit Friedrich.com/Federal-Incentives for complete details. 'Based on Internal R&D Testing, May 2023. Sound levels are also dependent on proper installation and location of product. '\(^{10}AFUE\) (Annual Fuel Utilization Efficiency): The higher the AFUE, the more efficient the unit. \(^{10}Bluetoth functionality applies to the heating section only. \(^{10}AFUE\) (Annual Fuel Utilization Efficiency): The higher the AFUE, the more efficient does not incation separated on home Wi-Fi setup. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

