



# ENDEAVOR®

## Cool energy savings and heart-warming sustainability

Keep comfortable no matter what the weather throws your way with the Friedrich® Endeavor® Line of Heat Pumps and Air Conditioners. The Friedrich Endeavor Line offers an excellent range of choices designed for lasting energy-efficient comfort that saves you money while delivering peace of mind.



[Friedrich.com/Residential](https://www.friedrich.com/Residential)



Relax with Consistently Hot... or Cold Temperatures



PEACE-OF-MIND PERFORMANCE

Relax, you're covered by one of the best warranties in the industry<sup>1</sup>—up to 10 Year Limited Parts + 10 Year Conditional Unit Replacement<sup>2</sup>.



REDUCED EMISSIONS

Households generate 72%<sup>3</sup> of greenhouse gas emissions, so switching to a heat pump can make a big difference for the environment—today.



QUIET OPERATION

Efficient home comfort shouldn't be noisy. That's why our air conditioners and heat pumps are designed with acoustics in mind. Integrated sound-dampening features such as refrigerant tubing design, fan blade approach, composite base pan and innovative compressor and drive technologies let you enjoy more efficiency—and less noise<sup>4</sup>.



HIGH COMFORT

Inverter-driven, variable speed compressor<sup>5</sup> (between 40% and 100% of capacity), variable speed twin rotary compressor<sup>6</sup> (between 45% and 70% of capacity, ramping up to 100% when required), two-stage<sup>7</sup> (high, low) or single-stage<sup>8</sup> technology work to continuously meet your ever-changing comfort needs. You'll enjoy steady temperature and advanced humidity control that combine to exceed your optimal comfort expectations.



Simplified Install & Service with Bluetooth Technology

Several of the Friedrich Endeavor Line Heat Pumps and Air Conditioners operate with the easy-to-use EcoNet Smart Thermostat, which optimizes system performance and provides a new level of protection and precision comfort with features like:

- Communication with latest sensor technology
- Control of your thermostat from anywhere via the EcoNet App<sup>9</sup>
- Alerts sent directly to your phone or email

Built-in Bluetooth<sup>®</sup> connectivity<sup>11</sup> on many of the Heat Pump and Air Conditioner models make it faster and easier for your contractor to install and service your system. This can help lower your costs and help make your home comfortable again—fast.



Helping You Live Both Comfortably and Sustainably



Among Heat Pumps and Air Conditioners, These Are Stars

Earning ENERGY STAR<sup>®</sup> recognition means products meet strict energy efficiency guidelines set by the U.S. Environmental Protection Agency and several of the Friedrich Endeavor Heat Pumps and Air Conditioners are ENERGY STAR<sup>®</sup> certified, offering annual energy cost savings<sup>10</sup>.



We Thought of Everything... & Then Some

We evaluate every detail of a product from top to bottom, inside and out and every angle in between. That's 360+1. And that's why you can count on these heat pumps and air conditioners to bring you and your family years of efficient and dependable comfort.

Friedrich® Endeavor® Line Heat Pump Series



Welcome year-round comfort into your home with the Friedrich Endeavor Line of Heat Pumps. Each model is designed to provide super-efficient and consistent heating and cooling technology to keep your utility bills dependably low, season after season.

	K-Series™	F-Series Plus™		F-Series™	E-Series™		
	FRP18AZ	FRP16AZ	FRP15AZ	FRP14AZ	FWP15AZ	FWSP14AZ	FWP14AZ
Cooling & Heating Efficiency <sup>12</sup> Up To:	20 SEER2 / 12.5 EER2 / 8.5 HSPF2	17 SEER2 / 10.4 EER2 / 8.1 HSPF2	16 SEER2 / 11.7 EER2 / 8.1 HSPF2	14.3 SEER2 / 10.4 EER2 / 7.6 HSPF2	16 SEER2 / 11.7 EER2 / 8.1 HSPF2	14.3 SEER2 / 10.4 EER2 / 7.5 HSPF2	14.3 SEER2 / 10.4 EER2 / 7.6 HSPF2
Nominal Sizes	2 to 5 tons	2 to 5 tons	1.5 to 5 tons	1.5 to 5 tons	1.5 to 5 tons	1.5 to 2.5 tons	1.5 to 5 tons
Cabinet Type Designator	iM	iM	iM	iM	iC	iC (Legacy Cabinet)	iC
Cooling & Heating Capacities	22.8 to 54 kBTU	22.8 to 56 kBTU	17.1 to 28.5 kBTU	17.1 to 55.5 kBTU	17.1 to 28.5 kBTU	17.1 to 28.5 kBTU	17.1 to 55.5 kBTU
EcoNet <sup>®</sup> Enabled	Yes	Yes	No	No	No	No	No
Sound Rating <sup>4</sup> (as low as)	58 dB	60 dB	72 dB	72 dB	72 dB	73 dB	72 dB
Compressor Type	Inverter Driven, Variable Speed	Inverter Driven, Variable Speed Twin Rotary	Two-Stage	Two-Stage	Two-Stage	Two-Stage	Two-Stage
Condenser Coil Type	3/8 in.	7mm <sup>13</sup>	7mm <sup>13</sup>	7mm <sup>13</sup>	7mm <sup>13</sup>	7mm	7mm <sup>13</sup>
ENERGY STAR <sup>®</sup> Certified <sup>10</sup>	Yes	No	Yes	No	Yes	No	No
Bluetooth Connectivity <sup>11</sup>	Yes	Yes	No	No	No	No	No
IRA of 2023 – Eligible for Federal Tax Credit <sup>14</sup>	Yes	Yes	Yes	No	Yes	No	No
IRA of 2023 – Eligible for Electric Home Rebate Program <sup>14</sup>	Yes	Yes	Yes	No	Yes	No	No
PlusOne <sup>®</sup> Features & More (PlusOnes indicated in bold)	Expanded Valve Space and Triple Service Access — Friedrich Contractor and EcoNet Apps <sup>9</sup> , built-in EcoNet and Bluetooth technology allow for easy install and diagnostics	Expanded Valve Space <sup>14</sup> and Triple Service Access — Friedrich Contractor and EcoNet Apps <sup>9</sup> , built-in EcoNet and Bluetooth technology allow for easy install and diagnostics	Expanded Valve Space and Triple Service Access	Expanded Valve Space and Triple Service Access	n/a	n/a	n/a
Compatible Thermostat	EcoNet Smart Thermostat — Two-Stage 24V (Emergency Only)	EcoNet Smart Thermostat — Two-Stage 24V (Three-Speed Operation Only)	Two-Stage 24V	Two-Stage 24V	Two-Stage 24V	Two-Stage 24V	Two-Stage 24V
Sustainability Standout	Yes	Yes	No	No	No	No	No
Limited Warranty <sup>1</sup>	Parts – 10 years Unit Replacement – 10 years (registration required)	Parts – 10 years Unit Replacement – 10 years (registration required)	Conditional Parts – 10 years (registration required)	Conditional Parts – 10 years (registration required)	Parts – 5 years	Parts – 5 years	Parts – 5 years

Friedrich® Endeavor® Line Air Conditioner Series



Keep cool, even when the utility bill arrives, with the Friedrich Endeavor Line of Air Conditioners. Each model is designed to provide super-high efficiency, keeping your home dependably comfortable.

	K-Series™	F-Series Plus™		F-Series™		E-Series™			
	FRA18AZ	FRA16AZ	FRA15AZ	FRA14AZ	FRA13NZ	FWA15AZ	FWA14AZ	FWSA14AZ	FWA13NZ
Cooling Efficiency <sup>12</sup> Up To:	20 SEER2 / 13 EER2	17 SEER2 / 10.5 EER2	15.2 SEER2 / 9.8 EER2	16 SEER2 / 13 EER2	15.2 SEER2 / 12 EER2	15.2 SEER2 / 9.8 EER2	16 SEER2 / 13 EER2	15.2 SEER2 / 12 EER2	15.2 SEER2 / 12 EER2
Nominal Sizes	2 to 5 tons	2 to 5 tons	2 to 5 tons	1.5 to 5 tons	1.5 to 5 tons	2 to 5 tons	1.5 to 5 tons	1.5 to 2.5 Tons	1.5 to 5 tons
Cabinet Type Designator	iM	iM	iM	iM	iM	iC	iC	iC (Legacy Cabinet)	iC
Cooling Capacities	22.8 to 54 kBTU	22.8 to 56 kBTU	22.8 to 56 kBTU	17.1 to 55.5 kBTU	17.1 to 55.5 kBTU	22.8 to 56 kBTU	17.1 to 55.5 kBTU	17.1 to 27.5 kBTU	17.1 to 55.5 kBTU
EcoNet <sup>®</sup> Enabled	Yes	Yes	Yes	No	No	No	No	No	No
Sound Rating <sup>4</sup> (as low as)	54 dB	61 dB	61 dB	69 dB	68 dB	61 dB	69 dB	74 dB	68 dB
Compressor Type	Inverter Driven, Variable Speed	Inverter Driven, Variable Speed Twin Rotary	Inverter Driven, Variable Speed Twin Rotary	Single-Stage	Single-Stage	Inverter Driven, Variable Speed Twin Rotary	Single-Stage	Single-Stage	Single-Stage
Condenser Coil Type	3/8 in.	7mm <sup>13</sup>	7mm <sup>13</sup>	7mm <sup>13</sup>	7mm <sup>13</sup>	7mm <sup>13</sup>	7mm <sup>13</sup>	7mm	7mm <sup>13</sup>
ENERGY STAR <sup>®</sup> Certified <sup>10</sup>	Yes	No	No	Yes	Yes	No	Yes	Yes	Yes
Bluetooth Connectivity <sup>11</sup>	Yes	Yes	Yes	No	No	Yes	No	No	No
IRA of 2023 – Eligible for Federal Tax Credit <sup>14</sup>	Yes	No	No	Yes	Yes	No	Yes	Yes	Yes
PlusOne <sup>®</sup> Features & More (PlusOnes indicated in bold)	Expanded Valve Space and Triple Service Access — Friedrich Contractor and EcoNet Apps <sup>9</sup> , built-in EcoNet and Bluetooth technology allow for easy install and diagnostics	Expanded Valve Space <sup>14</sup> and Triple Service Access — Friedrich Contractor and EcoNet Apps <sup>9</sup> , built-in EcoNet and Bluetooth technology allow for easy install and diagnostics	Expanded Valve Space <sup>14</sup> and Triple Service Access — Friedrich Contractor and EcoNet Apps <sup>9</sup> , built-in EcoNet and Bluetooth technology allow for easy install and diagnostics	Expanded Valve Space and Triple Service Access	Expanded Valve Space and Triple Service Access	n/a	n/a	n/a	n/a
Compatible Thermostat	EcoNet Smart Thermostat — Two-Stage 24V (Emergency Only)	EcoNet Smart Thermostat — Two-Stage 24V (Three-speed Operation Only)	EcoNet Smart Thermostat — Two-Stage 24V (Three-speed Operation Only)	Single-Stage 24V	Single-Stage 24V	Two-Stage 24V	Single-Stage 24V	Single-Stage 24V	Single-Stage 24V
Sustainability Standout	Yes	Yes	Yes	No	No	No	No	No	No
Limited Warranty <sup>1</sup>	Parts – 10 years Unit Replacement – 10 years (registration required)	Parts – 10 years Unit Replacement – 10 years (registration required)	Conditional Parts – 10 years (registration required)	Conditional Parts – 10 years (registration required)	Conditional Parts – 10 years (registration required)	Parts – 5 years	Parts – 5 years	Parts – 5 years	Parts – 5 years



TESTED. TRUSTED. TOUGH.

From the smallest part to complete comfort systems, we craft quality into everything we make so we can be sure it's tough enough to deliver the ultimate performance you can count on day after day, year after year. That reliability is what makes Friedrich different—and better.





**FRIEDRICH**

Friedrich.com

## Delivering Boldly Crafted Comfort

Founded in 1883, Friedrich Air Conditioning Co. is an expert in providing residential and commercial comfort solutions—from premium room air conditioners to whole-home / whole-building equipment and more. Designed to be among the most advanced and quietest available, all Friedrich products are engineered to deliver precise temperature control to make spaces comfortable—quickly and efficiently.



**Friedrich USA**  
5600 Old Greenwood Road  
Fort Smith, Arkansas 72908



**Friedrich Canada Ltd. / Ltée**  
125 Edgeware Road, Unit 1  
Brampton, Ontario L6Y 0P5

*Rheem Sales Company, Inc. manufactures the Friedrich brand of residential heating & cooling products. In keeping with its policy of continuous progress and product improvement, Rheem reserves the right to make changes without notice.*

<sup>1</sup>Registration is required for the conditional parts and unit replacement warranty (if applicable). For complete details of the limited and conditional warranties, including applicable terms and conditions, contact your local Contractor or go to Friedrich.com for a copy of the product warranty certificate. <sup>2</sup>Refer to the chart for specific warranty terms by product. <sup>3</sup>Residential Building Electrification in CA: Consumer economics, greenhouse gases and grid impacts, April 2019. <sup>4</sup>Based on Internal R&D Testing, May 2022. Sound levels are also dependent on proper installation and location of outdoor product. <sup>5</sup>Applies to FRP18AZ and FRA18AZ models. <sup>6</sup>Applies to the FRP16AZ, FRA16AZ, FRA15AZ and FWA15AZ models. <sup>7</sup>Applies to the FRP15AZ, FRP14AZ, FWP15AZ and FWP14AZ models. <sup>8</sup>Applies to FRP14AZ, FRA14AZ, FRA13NZ, FWP14AZ, FWA14AZ and FWA13NZ models. <sup>9</sup>Wi-Fi broadband internet connection required. Download the EcoNet® App from the App Store® or Google Play® to set up your EcoNet Smart Thermostat. Receipt of notifications depend on home Wi-Fi setup. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. <sup>10</sup>Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® criteria. Ask your contractor for details or visit EnergyStar.gov. <sup>11</sup>Applies to FRP18AZ, FRP16AZ, FRA18AZ, FRA16AZ, FRA15AZ and FWA15AZ models. <sup>12</sup>SEER2 (Seasonal Energy Efficiency Rating) / EER2 (Energy Efficiency Ratio) / HSPF2 (Heating Seasonal Performance Factor): The higher the SEER2 / EER2 / HSPF2 rating, the more efficient the unit. <sup>13</sup>5-ton models feature a 3/8 in. condenser coil. <sup>14</sup>Dependent on system combination and overall efficiency. Visit Friedrich.com/Federal-Incentives for complete details. <sup>15</sup>Standard models will be available late 2023 / early 2024. Pre-2023 FRP17\*H standard models will be available until inventory is depleted. <sup>16</sup>Expanded valve space does not apply to 2- and 3-ton models.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Rheem® is under license. Other trademarks and trade names are those of their respective owners.



System option with heat pumps only

© 2023 Rheem Manufacturing Company. Friedrich trademarks are owned by Friedrich Air Conditioning LLC. Rheem and other trademarks are owned by Rheem Manufacturing Company.  
Printed in the USA | 09/23 | QG | Form No. MFR-1100 Rev. 3